

**INDEX MAPS.**  
**T. 28N, R. 7 W. 2<sup>nd</sup> Mer.**

161	6	180	5	175	4	172	3	169	2	165	1	159
	179		179		175		172		168		164	
160	7	178	8	174	9	171	10	168	11	164	12	159
	178		178		174		171		167		164	
160	18	178	17	174	16	171	15	167	14	163	13	158
	177		177		174		170		167		163	
160	19	177	20	173	21	170	22	166	23	163	24	158
	177		176		173		170		166		162	
160	30	176	29	173	28	170	27	166	26	162	25	158
	176		176		173		169		165		162	
160	31	176	32	173	33	169	34	165	35	161	36	158
	157		157		157		157		157		157	

**T. 17N, R. 8 W. 2<sup>nd</sup> Mer.**

	190		190		189		189		189		188	
192	6	214	5	208	4	204	3	200	2	196	1	188
	214		213		208		204		200		196	
192	7	213	8	207	9	203	10	199	11	195	12	188
	213		212		207		203		199		195	
192	18	212	17	207	16	203	15	199	14	195	13	188
	211		211		206		202		198		194	
191	19	211	20	206	21	202	22	198	23	194	24	187
	210		210		206		202		198		194	
191	30	210	29	205	28	201	27	197	26	193	25	187
	209		209		205		201		197		193	
190	31	209	32	205	33	201	34	196	35	192	36	187
	186		186		185		185		185		185	

Meanders 214

Township N. 7 N North, Range 8 West 2<sup>d</sup> Mer. Indiana.

Township Lines.

Ch. 2<sup>d</sup> South Boundary. Var. 7<sup>00</sup> E.

West on the S. Boundary of Sec. 36 Aug. 14. 1819

40.00 set of sec. port from which

a Beech 5 in. dia. bears N 7 E 17 1/2 W. dist. 8,

a Do 12 " " " S 65 E 27 " "

80.00 set port cor. of sec. 35 & 36 from which

a W. Oak 14 in. dia. bears N 27 W 25 W. dist. 8

a Sugar 6 " " " S 70 E 30 " "

Land broken, soil 2<sup>d</sup> rate, timber Beech,  
Sugar, Ash, Poplar.

West on the S. Boundary of Sec. 35

14.50 a creek 300 W. wide course S 4 W

40.00 set of sec. port from which

a Buckeye 24 in. dia. bears East 13 W. dist. 8

a B. Walnut 12 " " " S 47 W 34 " "

80.00 set port cor. of sec. 34 & 35 from which

a Beech 9 in. dia. bears S 86 E 13 W. dist. 8

a Hickory 18 " " " S 52 W 20 " "

Land part broken & part creek bottom, which  
is very rich, part overflows.

West on the S. Boundary of Sec. 34

38.00 a brook 5 W. wide course S.

40.00 set of sec. port from which

a Beech 14 in. dia. bears N 15 W 10 W. dist. 8

a Hickory 18 " " " S 37 E 20 " "

80.00 set port cor. of sec. 33 & 34 from which

a B. Gum 10 in. dia. bears S 36 E 11 W. dist. 8

a W. Oak 30 " " " N 11 E 26 " "

Land very broken.

West on the S. Boundary of Sec. 33

40.00 set of sec. port from which

a Elm 10 in. dia. bears S 26 E 16 W. dist. 8

T. 17 N., R. 8 W. 2<sup>d</sup>. Mer. Ind. Co.  
Chas. Ek.

a Willow 9 in. dia. bears N 71 W 9 lbs. dist.  
44.00 a Creek 40 lbs. wide course S.  
80.00 set post cor. of sec. 32 & 33 from which  
a Sugar 11 in. dia. bears S 44 W 39 lbs. dist. &  
a Do 12 " " " N 50 E 13 " "  
West 1/2 mile good farming land, part broken

---

West on the S. Boundary of Sec. 32

25.00 a Brook 10 lbs. wide course S.  
40.00 set q. sec. post from which  
a W. Oak 30 in. dia. bears S 49 E 28 lbs. dist. &  
a Dogwood 6 " " " N 40 E 7 " "  
63.00 a Brook 8 lbs. wide course NW  
63.10 Intersect Range line 17.04 Chas. S. of temp. post  
set post at intersection cor. of T. 16 N., R. 8 & 9  
W. from which a Beech 27 in. dia. bears S 1 E 45 lbs. dist.  
& a W. Beech 8 " " " S 35 E 11 " "  
Var. 6<sup>th</sup> 50. E. by observation.  
80.00 set post cor. of sec. 31 & 32 from which  
~~a Hackberry 30 in. dia. bears S 56 E 8 lbs. dist. &~~  
~~a Do 6 " " " N 77 W 26 " "~~  
~~Low bottom which overflows.~~  
a B. Walnut 14 in. dia. bears North 17 lbs. dist. &  
a Do 30 " " " S 20 W 10 " "  
Part good farming land, part broken & part  
overflowed Bottom.

---

West on the S. Boundary of Sec. 31

August 15. 1819

23.00 an Elm 18 in. dia. cor. on left bank of Wabash R.  
40.00 q. sec. cor. in the river  
52.00 set post on right bank of Wabash R. from which  
a Mulberry 5 in. dia. bears N 10 E 23 lbs. dist. &  
a Sugar 9 " " " S 54 E 10 " "  
80.00 set post cor. of T. 17 N., R. 8 & 9 W. from which  
a Hackberry 30 in. dia. bears S 56 E 8 lbs. dist. &

T. 17 N., R. 8 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Ch. 1<sup>st</sup>.

a Hackberry 6 in. dia. bears N 74° W 26 lbs. dist.  
 Low bottom which overflows.

East Boundary. Var. 7<sup>th</sup> 00' E.  
 North on the E. Boundary of Sec. 36  
 August 23. 1819

40.00 set of sec. post from which  
 a Lynn 14 in. dia. bears S 63° E 33 lbs. dist. S  
 a Beech 10 " " " N 78° W 24 " "  
 70.00 at Brook 10 lbs. wide course W.  
 80.00 set post cor. of sec. 25 & 36 from which  
 a Sugar 8 in. dia. bears S 34° W 13 lbs. dist. S  
 a Beech 9 " " " S 70° E 11 " "  
 South 1/2 mile level, North 1/2 mile broken.  
 Timber Beech, Sugar, Ash, Oak, Hickory &c.  
 Good soil, middling good farming land

North on the E. Boundary of Sec. 25  
 August 24. 1819

10.00 at Brook 5 lbs. wide course W  
 15.00 a Do 12 " " " S  
 40.00 at Creek 300 lbs. wide course W. corner in Creek  
 80.00 set post cor. of sec. 24 & 25 from which  
 a Sugar 9 in. dia. bears S 44° W 40 lbs. dist. S  
 a Do 9 " " " N 80° E 34 " "  
 Land part broken & part Creek bottom which  
 overflows.

North on the E. Boundary of Sec. 24

35.00 a Brook 8 lbs. wide course E.  
 40.00 set of sec. post from which  
 a Poplar 30 in. dia. bears S 12° W 12 lbs. dist. S  
 a Sugar 9 " " " N 74° W 34 " "  
 72.00 at Brook 8 lbs. wide course E.  
 80.00 set post cor. of sec. 13 & 24 from which  
 a Beech 18 in. dia. bears S 72° E 12 lbs. dist. S



T. 17 N., R. 8 W. 2. Mer. Ind.<sup>a</sup>

Ch. Sk?

a Beech 8 in. dia. bears S 81° W 11 lbs. dist.  
Land very broken, soil 2<sup>d</sup> rate

---

## North in the E. Boundary of Sec. 13

40.00 set g. sec. post from which

a Sugar 18 in. dia. bears N 83° E 87 lbs. dist. &amp;

a Do 14 " " " N 53° W 35 " "

72.00 a Creek 12 lbs. wide course SE

80.00 set post cor. of sec. 12 &amp; 13 from which

a Sugar 10 in. dia. bears S 37° W 25 lbs. dist. &amp;

a Do 9 " " " N 18° E 21 " "

Land same

## North in the E. Boundary of Sec. 12

35.00 a Brook 10 lbs. wide course SE

40.00 set g. sec. post from which

a Hickory 8 in. dia. bears N 78° W 7 lbs. dist. &amp;

a Beech 6 " " " N 80° E 7 " "

80.00 set post cor. of sec. 12 &amp; 12 from which

a Sugar 9 in. dia. bears S 85° W 30 lbs. dist. &amp;

a W. Beech 7 " " " North 1 " "

Land part rolling, part level 2<sup>d</sup> rate, midd-  
ling good farming land

---

## North in the E. Boundary of Sec. 1

40.00 set g. sec. post from which

a Maple 30 in. dia. bears S 75° E 18 lbs. dist. &amp;

a Beech 14 " " " N 65° W 20 " "

80.00 set temp. Township corner post.

Land level, North 1/2 mile wet, timber  
Oak, Beech, Ash, Hickory, Spruce.

---

North Boundary. Var. 7<sup>th</sup> 00. E.

West in the S. Boundary of Sec. 30, T. 18 N., R. 8 W.

40.00 set g. sec. post from which

a Beech 18 in. dia. bears N 87° E 17 lbs. dist. &amp;

T. 17 N., R. 8 W. 2. Mer. Ind.<sup>a</sup>

Ch. 10?

a Beech 14 in. diam bears S 87° W 31 lbs. dnt.

80.00 set post cn. of sec. 35 &amp; 36 from which

a Hackberry 11 in. diam bears East 6 lbs. dnt. &amp;

a Beech 6 " " " S 59° W 14 " "

Land ~~same~~ level 2. rate, part wet, middling good, suitable  
for farming.

West on the S. Boundary of Sec. 35, T 18 N, R 8 W

40.00 set of sec. post from which

a Beech 8 in. diam bears N 15° E 10 lbs. dnt. &amp;

a Do 8 " " " S 12° E 11 " "

55.00 a Brook 8 lbs. wide course S.

80.00 set post cn. of sec. 34 &amp; 35 from which

a Beech 8 in. diam bears S 64° E 5 lbs. dnt. &amp;

a Do 7 " " " West 11 " "

Land level 2. rate, good farming land,  
timber Beech, Sugar &c.

West on the S. Boundary of Sec. 34, T 18 N, R 8 W

August 7. 1819

40.00 set of sec. post from which

a Beech 4 in. diam bears S 70° E 14 lbs. dnt. &amp;

a Do 9 " " " S 34° W 23 " "

79.00 a Brook 15 lbs. wide course S.

80.00 set post cn. of sec. 33 &amp; 34 from which

a Sugar 10 in. diam bears S 87° E 14 lbs. dnt. &amp;

a W. Oak 48 " " " N 80° W 19 " "

Land level rather wet, timber Beech,  
Sugar, Ash, Elm, Sycam &c.

West on the S. Boundary of Sec. 33, T 18 N, R 8 W

40.00 set of sec. post from which

a Beech 20 in. diam bears N 49° E 18 lbs. dnt. &amp;

a Do 12 " " " N 73° W 22 " "

80.00 set post cn. of sec. 32 &amp; 33 from which

an Ironwood 9 in. diam bears S 72° E 19 lbs. dnt. &amp;

a Do 4 " " " N 24° W 13 " "

T 17 N., R 8 W. S. Mer. Ind.  
Ch. S.

Land similar.

West on the S. Boundary of Sec. 32, T 18 N, R 8 W  
28.00 at Brook 10 Ws. wide course N.

40.00 set g. sec. post from which

a W. Oak 14 in. dia. bears N 65 E 10 Ws. dist. 8

a Sugar 12 " " " S 40 W 8 " "

60.00 at creek 50 Ws. wide course S E.

80.00 set post cor. of sec. 31 & 32 from which

an Elm 9 in. dia. bears N 73 W 10 Ws. dist. 8

a Gum 6 " " " S 48 E 22 " "

Land part rolling & part broken, good soil,  
timber same.

West on the S. Boundary of Sec. 31, T 28 N, R 8 W.

40.00 set g. sec. post from which

a B. Ash 9 in. dia. bears N 40 E 19 Ws. dist. 8

a Hickory 18 " " " S 18 E 24 " "

82.35 Intersect W. Boundary 14.00 Ch. S. of trap.

post - set post at intersection cor. of T. 17 N

18 N, R. 8 & 9 W. from which

a Sugar 18 in. dia. bears N 60 E 25 Ws. dist. 8

a Do 10 " " " S 38 W 35 " "

Land 1<sup>st</sup> rate

West Boundary. Var. 6° 50' E.

North on the E. Boundary of Sec. 36, T 17 N, R 9 W

August 18. 1819.

25.00 a Sugar 18 in. dia. on right bank of Wabash  
River.

40.00 set g. sec. post from which

a Mulberry 12 in. dia. bears S 38 E 5 Ws. dist. 8

a Hackberry 8 " " " N 37 W 9 " "

78.78 set post on left bank of Wabash R. from which

a W. Beech 9 in. dia. bears S 10 W 15 Ws. dist. 8

an Elm 5 " " " N 19 W 16 " "

T. 17 N., R. 8 W. 2<sup>d</sup> Mer. Ind. 9

Chas. Geo.

37.26 a Maple 18 in. dia. on the left bank of Wabash River.

40.00 set of g. sec. post from which  
an Elm 18 in. dia. bears S 33 E 55 W. dist. 8  
a Hackberry 14 " " " West 25 " "

74.33 set post on left bank of Wabash River from  
which a Hackberry 8 in. dia. bears S 39 E 16 W. dist.  
a Boxelder 9 " " " N 72 W 47 " "

80.00 cor. of sec. 25 & 36 in the river.  
Low bottom which overflows.

North on the E. Boundary of Sec. 25, T 17 N, R 9 W

3.25 a Cottonwood 27 in. dia. stands on right bank  
of Wabash River.

40.00 set of g. sec. post from which  
a Mulberry 12 in. dia. bears S 37 E 5 W. dist. 8  
a Hackberry 8 " " " N 37 W 9 " "

78.78 set post on right bank of Wabash R. from which  
an W. Beech 9 in. dia. bears S 10 W 15 W. dist. 8  
an Elm 5 " " " N 19 W 16 " "

80.00 cor. of sec. 24 & 25 in the River.  
Land same

North on the E. Boundary of Sec. 24, T 17 N, R 9 W

10.37 set post on left bank of Wabash River from which  
a Maple 11 in. dia. bears N 58 W 6 W. dist. 8  
a Sycamore 40 " " " S 27 E 50 " "

25.00 at brook 30 W. wide course W.

40.00 set of g. sec. post from which  
a Maple 20 in. dia. bears S 76 W 5 W. dist. 8  
an Elm 7 " " " N 49 E 13 " "

80.00 set post cor. of sec. 13 & 24 from which  
a Hackberry 9 in. dia. bears N 43 W 43 W. dist. 8  
a Do 18 " " " S 40 E 42 " "  
Land same



## T. 17 N., R. 8 W. 2. Mer. Ind.

Chs. Chs.

North on the E. Boundary of Sec. 13, T. 17 N., R. 9 E.

40.00 lot of gr. sec. part from which

at W. Oak 10 in. dia. bears S 5 E 21 Ws. dist. 8

a Do 9 " " " N 24 W 21 " "

80.00 lot part cor. of sec. 12 &amp; 13 from which

an Elm 9 in. dia. bears S 62 E 39 Ws. dist. 8

at B. Oak 36 " " " N 46 W 9 " "

Land nothing, timber Oak, no Wgs.

Second rate farming land, soil good.

North on the E. Boundary of Sec. 12, T. 17 N., R. 9 W

40.00 lot of gr. sec. part from which

at W. Oak 30 in. dia. bears S 30 E 15 Ws. dist. 8

at B. Oak 30 " " " N 60 W 31 " "

80.00 lot part cor. of sec. 11 &amp; 12 from which

at Beech 30 in. dia. bears S 79 E 52 Ws. dist. 8

a Sugar 12 " " " S 22 W 74 " "

Land level &amp; rich.

North on the E. Boundary of Sec. 1, T. 17 N., R. 9 W

2.00 a Brook 8 Ws. wide course W

4.00 a Do 10 " " " W

40.00 lot of gr. sec. part from which

at Beech 18 in. dia. bears S 20 E 21 Ws. dist. 8

a Sugar 18 " " " N 14 W 33 " "

80.00 lot township corner part.

(Description of land &amp; omitted)

William Harris

Dep. Surveyor.

## Subdivision.

North between Sec. 35 &amp; 36

Thursday morning, July 20, 1820

12.40 a Blue Ash 10 in. dia.

40.00 lot of gr. sec. part from which

at Beech 10 in. dia. bears N 00 W 40 Ws. dist. 8



T. 17 N., R. 8 W. 2<sup>d</sup>. Mer. Ind. a

Ch. Sk.

a Sugar 18 in. dia. bears S 14 W 27 W. dist.

50.47 a Maple 12 " "

67.50 Sugar Creek 350 W. wide course W. rapid

80.00 set post cor. of sec. 25, 26, 35 &amp; 36 from which

a Buckeye 5 in. dia. bears N 48 W 17 W. dist. 8

a Hickory 20 " " " S 52 E 20 " "

Land hilly 2<sup>d</sup> rate, timber Beech, Ash, W. Oak,

Sugar &amp; Upr. Spice &amp;

## East on Random between Sec. 25 &amp; 36

24.30 Sugar Creek 300 W. wide course S W

40.00 set temp. gr. sec. post

80.00 Intersect N &amp; S. line at post -

Land level & rich, chiefly overflowed bottom on Sugar  
Creek, timber Sycamore, Cottonwood, Maple &  
Upr. Pawpaw

## West Corrected between Sec. 25 &amp; 36

40.00 set gr. sec. post at aver. dist. from which

a Buckeye 5 in. dia. bears N 84 W 12 W. dist. 8

a Sycamore 36 " " " N 85 E 44 " "

80.00 to sec. cor.

## North between Sec. 25 &amp; 26

20.54 a Poplar 40 in. dia.

40.00 set gr. sec. post from which

a W. Oak 27 in. dia. bears N 32 W 7 W. dist. 8

a Beech 12 " " " S 62 E 19 " "

52.38 a Sugar 10 " "

80.00 set post cor. of sec. 23, 24, 25 &amp; 26 from which

a Beech 12 in. dia. bears N 30 E 4 W. dist. 8

an Ironwood 5 " " " S 38 W 21 " "

Hilly 3<sup>d</sup> rate good farming land, timber Sugar,

Beech, Poplar, Ash &amp; Upr. Spice,

July 20. 1820

T. 17 N., R. 8 W. 2.<sup>d</sup> Mer. Ind.<sup>a</sup>Chs. 10<sup>a</sup>

East on Random between Sec. 24 &amp; 25

7.45 a Stream 15 lks. wide course S. Coal bank? 100 lks.  
N. of line

40.00 set temp. q. sec. port

40.10 a Stream 5 lks. wide course S.

80.40 Intersect E. Boundary at port

Land hilly 3.<sup>d</sup> rate, timber W. Oak, Poplar &c.  
Upr. Dogwood &c.

West Corrected between Sec. 24 &amp; 25

40.20 set q. sec. port at aver. dist. from which  
an Elm 5 in. dia. bears S 7 E 9 lks. dist. 8  
a Do 4 " " " N 18 W 20 " "

80.40 to sec. cor.

North between Sec. 23 &amp; 24 July 21. 1820

15.00 a Stream 12 lks. wide course S E

40.00 set q. sec. port from which

a R. Oak 30 in. dia. bears S 75 E 10 lks. dist. 8

a Poplar 30 " " " N 75 W 22 " "

40.80 a Sugar 18 " "

53.25 a Stream 8 lks. wide course S 10 E

60.60 a Do 8 " " " S 10 W

80.00 set port cor. of sec. 13, 14, 23 &amp; 24 from which

a Beech 4 in. dia. bears N 2 W 5 lks. dist. 8

a W. Oak 20 " " " S 20 E 29 " "

First 1/2 mile hilly, 2 1/2 mile level 2.<sup>d</sup> rate, timber  
Beech, Hickory, W. Oak, Sugar, Poplar &c.  
Upr. Spice &c.

East on Random between Sec. 13 &amp; 24

40.00 set temp. q. sec. port

80.40 Intersect E. Boundary at port

Level good 2.<sup>d</sup> rate farming land, timber Beech,  
Sugar, Poplar &c. Upr. Spice &c.

T. 17 N., R. 8 W. 2<sup>d</sup> Mer. Ind.

Chs. Sp.

West Corrected between Sec. 13 &amp; 24

40.20 set gr. sec. post at aver. dist. from which  
 a Beech 12 in. dia. bears S 30 E 9 lbs. dist. 8  
 a Spruce 4 " " " N 24 W 11 " "  
 80.00 to sec. cor.

North between Sec. 13 &amp; 14

10.01 a Beech 15 in. dia.  
 21.50 a Stream 8 lbs. wide course S W  
 40.00 set gr. sec. post from which  
 a Beech 27 in. dia. bears N 24 E 15 lbs. dist. 8  
 a Sugar 8 " " " S 45 W 21 " "  
 49.00 a Walnut 24 " "  
 80.00 set post cor. of sec. 11, 12, 13 & 14 from which  
 an Ash 27 in. dia. bears S 18 W 22 lbs. dist. 8  
 a B. Ash 4 " " " N 17 W 15 " "  
 Level good farming land, 2<sup>d</sup> rate, timber  
 Walnut, Sugar, B. Ash & Uls. Spice &c.

East on Random between Sec. 12 &amp; 13

40.00 set temp. gr. sec. post.  
 74.50 a Stream 10 lbs. wide course S E.  
 80.58 Intersect Co. Boundary 44 lbs. S. of post -  
 Land level 2<sup>d</sup> rate, timber Spruce, Poplar,  
 Ash, Sugar & Uls. Spice &c.

West Corrected between Sec. 12 &amp; 13

40.29 set gr. sec. post at aver. dist. from which  
 a Sugar 12 in. dia. bears S 21 E 5 lbs. dist. 8  
 a Beech 5 " " " N 21 W 14 " "  
 80.58 to sec. cor.

North between Sec. 11 &amp; 12

25.11 a Spruce 14 in. dia.  
 40.00 set gr. sec. post from which  
 a Spruce 12 in. dia. bears S 17 E 10 lbs. dist. 8

## T. 17 N., R. 8 W. E. Mer. Ind. a

Chs. Spr.

a Sugar 6 in. dia. bears N 70 W 17 Ws. dist.  
 60.08 a Do 10 " "  
 80.00 set post cor. of sec. 1, 2, 11 & 12 from which  
 a Beech 12 in. dia. bears N 50 W 11 Ws. dist. 8  
 a Poplar 24 " " " S 53 E 25 " "  
 Land level 2<sup>d</sup> rate, timber Beech, Poplar,  
 Lym, Sugar & Upr. Spice &

## East on Random between Sec. 1 &amp; 12

40.00 set temp. gr. sec. post  
 80.42 Intersect E. Boundary 27 Ws. N. of post—  
 Land level 2<sup>d</sup> rate, timber Ash, Lym, W. Oak,  
 Hickory & Upr. Ash &

## West Connected between Sec. 1 &amp; 12

40.21 set gr. sec. post at aver. dist. from which  
 a Maple 15 in. dia. bears N 80 W 4 Ws. dist. 8  
 a Beech 8 " " " S 80 E 19 " "  
 80.42 to sec. cor.

## North between Sec. 1 &amp; 2

7.00 a Stream 10 Ws. wide course S W  
 27.42 a B. Ash 15 in. dia.  
 40.00 set gr. sec. post from which  
 a Beech 12 in. dia. bears N 43 E 9 Ws. dist. 8  
 an Elm 20 " " " S 38 W 44 " "  
 53.00 a B. Ash 18 " "  
 65.14 Intersect N. Boundary 93 Ws. W. of post—  
 a Beech 4 in. dia. stands at intersection for cor.  
 of sec. 1 & 2 from which  
 an Elm 20 in. dia. bears N 82 E 23 Ws. dist. 8  
 Land level 2<sup>d</sup> rate, timber Sugar, Lym,  
 Ash, Beech & Upr. Spice &

## North between Sec. 34 &amp; 35 July 22. 1820

18.08 a W. Oak 36 in. dia.



T. 17 N., R. 8 W. E. Mer. Ind. a.  
 C. N. S. P.

40.00 set gr. sec. post from which  
 a Beech 18 in. diam bears S 18 E 50 Yds. dist. S  
 a Do 18 " " " S 58 W 26 " "  
 60.00 a Stream 4 Yds. wide course E.  
 80.00 set post cor. of sec. 26, 27, 34 & 35 from which  
 a W. Oak 36 in. diam bears S 67 E 7 Yds. dist. S  
 a Do 30 " " " N 60 W 20 " "  
 Sand hilly 2<sup>d</sup> rate, timber W. Oak, Poplar,  
 Beech & V. Upr. Dogwood &.

Cont on Random between Sec. 26 & 35

22.90 a Stream 5 Yds. wide course S E  
 24.40 a Do 10 " " " N E  
 28.96 a Do 10 " " " S E  
 35.76 a Do 10 " " " S.  
 40.00 set temp. gr. sec. post  
 72.96 a Stream with high cliffs on which to  
 the North of line Coal bank  
 79.96 Intersect N. S. line 70 Yds. N. of post—  
 Sand hilly 2<sup>d</sup> rate, timber Beech, Ash, W. Oak  
 & V. Upr. Ironwood &.

West Connected between Sec. 26 & 35

39.98 set gr. sec. post at aver. dist. from which  
 a Sugar Cin. diam bears N 10 W 10 Yds. dist. S  
 a W. Oak 24 " " " S 34 E 15 " "  
 79.96 to sec. cor.

North between Sec. 26 & 27

10.80 a Walnut 24 in. dia.  
 40.00 set gr. sec. post from which  
 an Ironwood 5 in. diam bears S 18 E 7 Yds. dist. S  
 a Sugar 15 " " " N 9 E 30 " "  
 56.29 a Do 18 " "  
 80.00 set post cor. of sec. 22, 23, 26 & 27 from which  
 an Elm 12 in. diam. bears S 3 E 9 Yds. dist. S



## T. 17 N., R. 8 W. 2. Mer. Ind. a

Chr. Sh.

a Lymn 4 in. dia. beas N 44 W 10 Ws. dist.  
Land hilly 2<sup>d</sup> rate, timber Sugar, Beech,  
Poplar, W. Oak & Wyp. Ironwood &c.

## East on Random between Sec. 23 &amp; 26

40.00 set temp. of sec. post

79.40 Intersect N &amp; S. line 6 Ws. N. of post -

Level good farming land, 2<sup>d</sup> rate, timber  
Beech, Sugar, Ash, W. Oak & Wyp. Beech &c.

## West Connected between Sec. 23 &amp; 26

39.70 set of sec. post at aver. dist. from which

a Sugar 18 in. dia. beas S 18 E 17 Ws. dist. 8

a Beech 18 " " " N 20 W 41 " "

79.40 to sec. cor.

## North between Sec. 22 &amp; 23

22.00 a Sugar 10 in. dia.

40.00 set of sec. post from which

a Sugar 20 in. dia. beas East 5 Ws. dist. 8

a Beech 8 " " " S 27 W 20 " "

49.80 a Poplar 36 " "

57.78 a Stream 16 Ws. wide course SW

80.00 set post cor. of sec. 14, 15, 22 &amp; 23 from which

a Beech 15 in. dia. beas N 34 W 12 Ws. dist. 8

a Ash 12 " " " S 18 W 35 " "

Land level 2<sup>d</sup> rate, timber Beech, Sugar,  
Poplar & Wyp. Spice &c.

## East on Random between Sec. 14 &amp; 23

25.00 a Stream 12 Ws. wide course SW.

40.00 set temp. of sec. post

79.34 Intersect N &amp; S. line 100 Ws. N. of post -

Land level 2<sup>d</sup> rate, timber Elm, Ash, Lymn,  
W. Oak & Wyp. Ash &c.

T. 17 N., R. 8 W. 2<sup>d</sup>. Mer. Ind. aChs. 2<sup>nd</sup>.

West Corrected between Sec. 14 &amp; 23

39.67 set gr. sec. post at aver. dist. from which  
 a Beech 12 in. diam bears S 85 E 20 lbs. dist. 8  
 a Hornbeam 4 " " " S 61 W 16 " "  
 79.34 to sec. cor.

North between Sec. 14 &amp; 15

12.85 a W. Oak 36 in. diam.

15.50 a Stream 8 lbs. wide course SW

40.00 set gr. sec. post from which  
 a Beech 12 in. diam bears S 41 W 15 lbs. dist. 8  
 a Do 8 " " " N 6 E 17 " "

50.30 a Poplar 30 " "

78.30 a Stream 6 lbs. wide course W.

80.00 set post cor. of Sec. 10, 11, 14 & 15 from which  
 a Sugar 12 in. diam bears N 50 W 20 lbs. dist. 8  
 a Do 15 " " " S 70 E 45 " "  
 Land level good farming land, 2<sup>d</sup> rate,  
 timber Beech, Sugar, Poplar, W. Oak &  
 Wlp. - Spice &

East on Random between Sec. 11 &amp; 14

40.00 set temp. gr. sec. post

79.32 Intersect N &amp; S. line at post -

Level good 2<sup>d</sup> rate farming land, timber  
 Ash, Sugar, Beech, Oak & Wlp. Spice &

West Corrected between Sec. 11 &amp; 14

39.66 set gr. sec. post at aver. dist. from which  
 a Beech 12 in. diam bears N 20 E 21 lbs. dist. 8  
 a Do 4 " " " S 11 W 14 " "

79.32 to sec. cor.

North between Sec. 10 &amp; 11

12.20 a Stream 12 lbs. wide course SW.

19.15 a Beech 12 in. diam.

## T. 17 N., R. 8 W. 2. Mer. Ind. a

E. 1/2 Sec.

40.00 set of sec. port from which

a Beech 10 in. dia. bears S 32 E 10 W. dist. 8

a Do 18 " " " N 68 W 22 " "

57.25 a Do 15 " "

80.00 set port cor. of sec. 2 &amp; 3, 10 &amp; 11 from which

a Beech 10 in. dia. bears N 78 W 22 W. dist. 8

a Hickory 12 " " " N 47 E 12 " "

Land level 2. rate, timber Beech, Ash,

Poplar, Linn &amp; V. Uls. Spice &amp;c.

East in Random between Sec. 2 &amp; 11

40.00 set temp. of sec. port

50.90 a stream 10 Ws. wide course SW.

79.72 Intersect N &amp; S. line at port -

Level good farming land, timber W. Oak,

Poplar, Beech, Sugar &amp; V. Uls. Spice &amp;c.

West Connected between Sec. 2 &amp; 11

39.80 set of sec. port at aver. dist. from which

a Sugar 18 in. dia. bears S 57 W 12 W. dist. 8

a Beech 4 " " " S 67 E 15 " "

79.72 to sec. cor.

North between Sec. 2 &amp; 3 July 24, 1820

13.40 a Stream 15 Ws. wide course SW

19.00 a Beech 30 in. dia.

40.00 set of sec. port from which

a Beech 8 in. dia. bears N 63 W 16 W. dist. 8

a Sugar 27 " " " S 70 E 23 " "

57.00 a Hickory 18 " "

64.09 Intersect N. Boundary 135 Ws. W. of port -

set port at intersection cor. of sec. 2 &amp; 3 from

which a Beech 4 in. dia. bears N 7 E 6 W. dist. 8

a Do 18 " " " S 4 E 24 " "

Land level 2. rate, timber same as last noted.

T. 17 N., R. 8 W. 2. Mer. Ind.<sup>a</sup>  
 Ch. Lk.

North between Sec. 33 & 34

10.04 a Poplar 30 in. dia.

40.00 lot of sec. port from which

an Elm 12 in. dia. bears N 76 E 7 W. dist. 8

a Sugar 12 " " " S 76 W 32 " "

58.56 a S. Oak 15 " "

63.30 a Stream 10 W. wide course SW

80.00 lot port cor. of sec. 27, 28, 33 & 34 from which

an Ash 27 in. dia. bears N 25 E 17 W. dist. 8

a Beech 10 " " " S 39 W 14 " "

Land hilly 2<sup>d</sup> rate, timber Sugar, Beech, Ash,  
 Poplar & Upr. Spice &c.

East on Random between Sec. 27 & 34

40.00 lot temp. of sec. port

79.20 Intersect N & S. line 12 W. N. of port

Level good 2<sup>d</sup> rate farming land, timber

Sugar, Beech, Poplar, Ash & Upr. Spice &c.

West Corrected between Sec. 27 & 34

39.63 lot of sec. port at aver. dist. from which

a Sugar 6 in. dia. bears N 43 E 30 W. dist. 8

a Hickory 12 " " " S 23 E 14 " "

79.26 to sec. cor.

North between Sec. 27 & 28

10.15 a Sugar 18 in. dia.

26.30 a Stream 40 W. wide course SW

40.00 lot of sec. port from which

a W. Walnut 12 in. dia. bears S 10 E 10 W. dist. 8

a Hickory 4 " " " N 15 E 27 " "

52.50 a W. Oak 24 " "

80.00 lot port cor. of sec. 21, 22, 27 & 28 from which

a B. Ash 20 in. dia. bears S 84 E 12 W. dist. 8

a Do 15 " " " S 78 W 23 " "

Land level 2<sup>d</sup> rate, timber Beech, Sugar,



T. 17 N., R. 8 W. 2. Mer. Ind. a  
Chr. Sk.

Ash, Poplar & Ulp. Hazel &

East on Random between Sec. 22 & 27

21.50 a Stream 40 Ws. wide course SW

40.00 at temp. of sec. port

79.08 Intersect N & S. line 31 Ws. N. of port -

Land level 2. rate, timber Beech, Poplar,  
Sugar, W. Oak & Ulp. Beech &

West Corrected between Sec. 22 & 27

39.84 at temp. port at aver. dist. from which  
a Beech 24 in. dia. bears N 40 E 4 Ws. dist. 8

a Do 20 " " " S 33 W 38 " "

79.08 to sec. cor.

North between Sec. 21 & 22

27.29 a Hickory 18 in. dia.

40.00 at temp. port from which

a Hornbeam 4 in. dia. bears S 5 W 5 Ws. dist.

a Hickory 18 " " " N 23 E 23 " "

48.92 a R. Oak 30 " "

80.00 at port cor. of sec. 15, 16, 21 & 22 from which

a Sugar 12 in. dia. bears N 23 E 10 Ws. dist. 8

a Do 12 " " " S 68 E 23 " "

Land level 2. rate, timber Beech, Sugar,  
Poplar, W. Oak & Ulp. Ash &

East on Random between Sec. 15 & 22

16.00 a Stream 30 Ws. wide course SE.

40.00 at temp. of sec. port

54.00 a Stream 20 Ws. wide course SW

80.00 Intersect N & S. line at port -

Land hilly 2. rate, timber Walnut,  
Sugar, Beech, Poplar & Ulp. Spice &

West Corrected between Sec. 15 & 22



T. 17 N., R. 8 W. 2. Mer. Ind.<sup>a</sup>  
Chs. Spr.

40.00 set gr. sec. post at aver. dint. from which  
a Sugar 12 in. dia. bears N 70 E 10 lbs. dint. 8  
a Beech 6 " " " S 73 W 28 " "  
80.00 to sec. cor.

North between Sec. 15 & 16 July 25. 1820

10.44 a Sugar 18 in. dia.

40.00 set gr. sec. post from which  
a Sugar 10 in. dia. bears S 40 E 12 lbs. dint. 8  
a Do 10 " " " N 45 W 38 " "

52.67 a W. Oak 20 " "

80.00 set post cor. of sec. 9, 10, 15 & 16 from which  
a Beech 12 in. dia. bears N 54 W 19 lbs. dint. 8  
a Do 20 " " " S 81 E 25 " "  
Land hilly 2. rate, timber Beech, Sugar,  
Ash, Poplar &c.

East on Random between Sec. 10 & 15

10.20 a Stream 30 lbs. wide course S.

40.00 set temp. gr. sec. post

77.50 a Stream 12 lbs. wide course SW

79.50 Intersect N. S. line at post -

Land level 2. rate, timber Beech, Poplar,  
W. Oak &c. W. Spr. Spice &c.

West Corrected between Sec. 10 & 15

39.75 set gr. sec. post at aver. dint. from which

a Beech 20 in. dia. bears N 53 E 19 lbs. dint. 8

a Do 10 " " " S 25 W 15 " "

79.50 to sec. cor.

North between Sec. 9 & 10

21.85 a R. Oak 30 in. dia.

40.00 set gr. sec. post from which

a Sugar 20 in. dia. bears N 4 W 25 lbs. dint. 8

a Do 18 " " " S 39 E 28 " "

## T. 17 N., R. 8 W. 2. Mer. Ind.?

Chr. Sh?

48.55 a Beech 24 in. dia.

72.70 a Stream 25 yds. wide course S 10 E

77.00 a Do 25 " " " S 10 W

80.00 Set post cr. of sec. 3 & 4, 9 & 10 from which  
a Sugar 22 in. dia. bears S 43 E 28 yds. dist. &

a Buckeye 18 " " " N 08 W 32 " "

Level good 2. rate farming land, timber

Sugar, Beech, Poplar, W. Oak &amp; Upr. Spice &amp;

East on Random between Sec. 3 &amp; 10

0.20 a Stream 25 yds. wide course S.

40.00 Set temp. g. sec. post

70.08 a Stream 15 yds. wide course SW.

79.24 Intersect N. &amp; S. line 120 yds. N. of post -

Level 2. rate land, timber Ash, Beech,

Sugar, W. Oak, Poplar &amp; Upr. Spice &amp;

West Corrected between Sec. 3 &amp; 10

39.02 Set g. sec. post at aver. dist. from which

a \_\_\_\_\_ 10 in. dia. bears S 76 E 7 yds. dist. &amp;

a Do 10 " " " N 14 W 10 " "

79.24 to sec. cor.

North between Sec. 3 &amp; 4

13.48 a Beech 10 in. dia.

28.60 a Stream 7 yds. wide course S E

40.00 Set g. sec. post from which

a Sugar 10 in. dia. bears N 66 W 21 yds. dist. &amp;

a Walnut 24 " " " S 66 E 28 " "

63.21 Intersect N. Boundary 217 yds. N. of ~~post~~

large W. Oak Bearing tree to post, post removed.

Set post at intersection cr. of sec. 3 &amp; 4 from which

a Sugar 22 in. dia. bears S 20 E 9 yds. dist. &amp;

a Do 15 " " " N 20 W 28 " "

Land timber same as last noted.

T. 17 N., R. 8 W. 2<sup>d</sup>. Mer. Ind.<sup>a</sup>  
Ch. 1<sup>st</sup>.

North between Secs. 32 & 33

18.50 a Sugar 18 in. dia.

40.00 sit gr. sec. port from which

a Walnut 3 in. dia bears S 86 E 5<sup>th</sup> M. dist. 8

a Do 2<sup>nd</sup> " " " N 86 W 14<sup>th</sup> " "

50.50 a Sugar 24<sup>th</sup> " "

80.00 sit port cor. of sec. 28, 29, 32 & 33 from which

a Beech 12 in. dia bears S 86 E 34<sup>th</sup> M. dist. 8

a Do 27<sup>th</sup> " " " N 86 W 57<sup>th</sup> " "

Land hilly 2<sup>d</sup>. rate, timber Beech, Sugar, Poplar,  
W. Oak & Upr. Spice &

East on Random between Secs. 28 & 33

40.00 sit temp. gr. sec. port

79.82 Intersect N. S. line 6 M. N. of port -

Land level, 1<sup>st</sup> 1/2 mile 1<sup>st</sup>. rate, last half  
2<sup>d</sup>. rate, timber Walnut, Sugar, Poplar,  
Beech & Upr. Spice &

West Connected between Secs. 28 & 33

39.91 sit gr. sec. port at aver. dist. from which

a Boxelder 4 in. dia bears S 76 E 6<sup>th</sup> M. dist. 8

a Sycamore 12<sup>th</sup> " " " N 76 W 22<sup>th</sup> " "

79.82 to sec. cor.

North between Secs. 28 & 29 July 26. 1820

20.40 a W. Walnut 10 in. dia.

40.00 sit gr. sec. port from which

a Hickory 4 in. dia bears N 86 E 2<sup>th</sup> M. dist. 8

a Poplar 24<sup>th</sup> " " " S 80 W 7<sup>th</sup> " "

50.20 a R. Oak 12<sup>th</sup> " "

80.00 sit port cor. of sec. 20, 21, 28 & 29 from which

a Beech 18 in. dia bears S 69 E 28<sup>th</sup> M. dist. 8

a W. Oak 6<sup>th</sup> " " " N 80 W 45<sup>th</sup> " "

Land hilly rich 2<sup>d</sup>. rate, timber W. Walnut,  
Sugar, Beech, Poplar & Upr. Spice &

## T. 17 N., R. 8 W. 2, Mer. Ind.

E. &amp; S. 1/4

East on Random between Sec. 21 &amp; 28

40.00 set temp. gr. sec. post

79.34 Intersect N. &amp; S. line 10 M. S. of post -

Land level 2. rate, timber W. Oak, Beech, Ash,  
Sugar, W. Walnut & V. Upr. Ash & V.

West Corrected between Sec. 21 &amp; 28

39.67 set gr. sec. post at aver. dist. from which

a Hickory 15 in. dia. bears S 60 E 12 M. dist. 8

a Do 20 " " " N 34 W 18 " "

79.34 to sec. cor.

North between Sec. 20 &amp; 21 July 26. 1820

15.18 a W. Oak 24 in. dia.

40.00 set gr. sec. post from which

an Ironwood 4 in. dia. bears N 20 E 20 M. dist. 8

a W. Oak 15 " " " S 26 W 22 " "

49.50 a Stream 20 M. wide course W

50.45 a Beech 10 in. dia.

80.00 set post cor. of sec. 16, 17, 20 &amp; 21 from which

a W. Oak 10 in. dia. bears S 10 E 23 M. dist. 8

a Do 10 " " " N 24 W 19 " "

Land hilly 2. rate, timber Beech, W. Oak,  
Poplar, Sugar & V. Upr. Spice & V.

East on Random between Sec. 16 &amp; 21

16.00 a Stream 4 M. wide course S.

36.15 a Do 20 " " " S 4 W

40.00 set temp. gr. sec. post

80.00 Intersect N. &amp; S. line 28 M. N. of post -

Land hilly 2. rate, good for farming, timber

Beech, Poplar, Sugar, W. Oak &amp; V. Upr. Spice &amp; V.

West Corrected between Sec. 16 &amp; 21

40.00 set gr. sec. post at aver. dist. from which

a Sugar 12 in. dia. bears N 84 W 12 M. dist. 8

## T. W. N., R. 8 W. 2. Mer. Ind. a

Ch. L. L.

a Hickory 18 in. dia. bears N 80 E 30 W. dist.  
80.00 to sec. cor.

North between Sec. 16 &amp; 17

20.80 a Sugar 12 in. dia.

40.00 set gr. sec. port from which  
an Ash 4 in. dia. bears N 60 E 20 W. dist. 8  
a Beech 15 " " " S 50 W 34 " "

62.93 a Hickory 20 " "

80.00 set port cor. of sect. 8, 9, 16 & 17 from which  
a Beech 12 in. dia. bears S 14 E 28 W. dist. 8  
a Poplar 15 " " " N 20 W 43 " "  
Land hilly 2<sup>d</sup> rate, timber Sugar, Beech,  
Poplar & Upr. Spruce &c.

East on Random between Sec. 9 &amp; 16

21.10 a Stream 7 W. wide course NW

40.00 set temp. gr. sec. port

47.00 a Stream 7 W. wide course SW

79.90 Intersect N &amp; S. line 15 W. N. of port -

Land 1<sup>st</sup> 1/2 mile hilly, 2 1/2 mile level 2<sup>d</sup> rate,  
timber Beech, W. Oak, Poplar & Upr. Ironwood &c.

West Connected between Sec. 9 &amp; 16

39.95 set gr. sec. port at aver. dist. from which

a Hickory 24 in. dia. bears N 12 W 10 W. dist. 8

a Do - " " " S 16 E 5 " "

79.90 to sec. cor.

North between Sec. 8 &amp; 9

6.60 a Stream 7 W. wide course W.

17.53 a W. Oak 36 in. dia.

40.00 set gr. sec. port from which

a W. Oak 18 in. dia. bears N 71 E 27 W. dist. 8

a Do 30 " " " N 74 W 20 " "

60.48 a Do 36 " "



T. 17 N., R. 8 W. 2<sup>d</sup> Mer. Ind<sup>a</sup>Ch<sup>a</sup>. Spr<sup>a</sup>

80.00 set post cor. of sec. 4, 5, 8 & 9 from which  
 a Beech 15 in. dia. bears N 65° W 19 Ws. dist. 3  
 a Do 20 " " " S 57° W 12 " "  
 Land hilly 3<sup>d</sup> rate, timber Beech, W. Oak,  
 Sugar & Upr. Ironwood &c.

---

East on Random between Sec. 4 & 9  
 July 27. 1820

40.00 set temp. of sec. post

80.20 Intersect N. & S. line 70 Ws. S. of post—  
 Land 1<sup>st</sup> 1/2 mile hilly 3<sup>d</sup> rate, last 1/2 mile level  
 2<sup>d</sup> rate, timber Beech, Ash, Elm, Lym &c.  
 Upr. Spice &c.

---

## West Corrected between Sec. 4 &amp; 9

40.10 set of sec. post at aver. dist. from which  
 an Elm 15 in. dia. bears N 75° W 12 Ws. dist. 3  
 an Ash 15 " " " S 70° E 49 " "  
 80.20 to sec. cor.

---

~~North between Sec. 4 & 5~~

~~40.00 set of sec. post from which  
 a Hickory 12 in. dia. bears S 83° W 7 Ws. dist. 3  
 a Buckeye 18 " " " S 84° E 36 " "~~  
 67.00

---

## North between Sec. 4 &amp; 5

19.90 a W. Oak 12 in. dia.

40.00 set of sec. post from which  
 a Sugar 18 in. dia. bears N 40° E 22 Ws. dist. 3  
 a Do 15 " " " N 54° W 19 " "

50.50 a Stream 7 Ws. wide course W

64.22 Intersect N. Boundary 259 Ws. W. of post—  
 set post at intersection cor. of sec. 4 & 5 from which  
 a Beech 18 in. dia. bears S 10° E 9 Ws. dist. 3  
 a W. Oak 15 " " " N 31° E 31 " "

T. 17 N., R. 8 W. 2<sup>d</sup>. Mer. Ind.  
Ch. Sp.

Land hilly 2<sup>d</sup> rate, timber the same as on the last N & S. line.

North between Sect. 31 & 32

40.00 set gr. sec. post from which

a Hickory 12 in. dia. bears S 83° W 7 1/2 m. dist. &

a Buckeye 18 " " " S 84° E 36 " "

80.00 set post cor. of sect. 29, 30, 31 & 32 from which

an Elm 20 in. dia. bears N 47° E 13 1/2 m. dist. &

a Maple 15 " " " S 11° E 24 " "

Land rich, part overflowed, timber Elm, Maple, Walnut, Hackberry & Upr. Spice &

East on Random between Sect. 29 & 32

40.00 set temp. gr. sec. post

79.94 Intersect N & S. line 44 1/2 m. N. of post -

Land 1<sup>st</sup> 1/2 mile hilly 2<sup>d</sup> rate, last 1/2 mile level 1<sup>st</sup> rate, timber Walnut, Sugar, Beech, Poplar & Upr. Spice &

West Corrected between Sect. 29 & 32

39.97 set gr. sec. post at aver. dist. from which

a S. Oak 24 in. dia. bears N 5° W 12 1/2 m. dist. &

a Sugar 10 " " " S 36° W 24 " "

79.94 to sec. cor.

West between Sect. 30 & 31

15.20 enter Pond bearing SW

29.00 crossed Pond, no timber in where last crossed

40.00 set gr. sec. post from which

a R. Oak 5 in. dia. bears S 10° W 4 1/2 m. dist. &

a Hackberry 15 " " " N 65° E 15 " "

65.70 set post on left bank of Wabash River from which

a Buckeye 20 in. dia. bears N 37° E 21 1/2 m. dist. &

a Boxelder 4 " " " S 24° W 29 " "

Land level rich, timber Walnut, Buckeye,

T. 17 N., R. 8 W. E. Mer. Ind.<sup>h</sup>  
 Ch. Sp.

Hackberry & Upr. Spice &

North between Sec. 29 & 30

11.08 an Ash 12 in. dia.

21.50 a Pond nearly round

30.00 leave Pond & enter Prairie

40.00 set of sec. post in Prairie from which a solitary  
 Elm in Prairie bears N 44 W 235 lbs. dist.

45.05 leave Prairie

58.42 a W. Walnut 15 in. dia.

80.00 set post cor. of sec. 19, 20, 29 & 30 from which  
 a Beech 12 in. dia. bears N 75 E 18 lbs. dist. &  
 a Do 15 " " " S 75 W 21 " "  
 Land level & rich, part Prairie, timber Wal-  
 nut, Maple, Hackberry, Buckeye & Upr.  
 Pawpaw

East on Random between Sec. 20 & 29

40.00 set temp. of sec. post

79.00 Intersect N & S. line 22 lbs. N. of post -

Land 1<sup>st</sup> 1/2 mile hilly & rate, last 1/2 mile  
 level & rate, timber W. Oak, Beech, Hickory  
 & Upr. Hazel &

West corrected between Sec. 20 & 29

39.80 set of sec. post at aver. dist. from which  
 a Beech 18 in. dia. bears S 62 W 19 lbs. dist. &  
 a Do 18 " " " N 20 E 28 " "

79.00 to sec. cor.

West between Sec. 19 & 30

20.50 enter Prairie

40.00 set of sec. post & raised a mound, no bearings

56.70 leave Prairie

67.75 Intersect W. Boundary set post on left bank  
 of Wabash River from which

T. 17 N., R. 8 W. 2<sup>d</sup>. Mer. Ind<sup>d</sup>.

Ch. 10

a Maple 24 in. diam. at 4 ft. 24 in. diam. at 8 ft.  
a Do 12 " " " NW 1/4 NW 29 " "  
Land level rich T. state, part rich Prairie,  
trunks Walnut, Hackberry, Buckeye &  
Wg. Pawpaw &c.

North between Dec. 19 & 20 July 28. 1820

18.14 aW. Oak 36 in. dia.

35.25 a Stream 25 Mts. inside corner SW

37.50 a Lrs 25 s s s 90

40.00 set of sec. port from which

a Buckeye 18 in. dia. bears 15 @ 12 lbs. dist. - 8

a Hackberry 20 " " " N 157 W 28 " "

45.40 a Stream 25 Yds. wide course SW

50.84 a Hackberry 27 in. dia.

80.00 dit part car. of Dec. 17, 18, 19 & 20 from which

att. Oak 18 in. diam. bears 986 W 13 lbs. dwt. 2

a Sugar 10,      5      5      940 E 18,      5

Level rich 1<sup>st</sup> rate, timber Walnut, Hackberry,  
Sugar Buckeye & Upr. Spice &c.

East or Random between Sec. 17 & 20

440.00 cut temp. gr. sec. port

79.00 Interest No. 9. line 27 Mo. N. of port -

Sound level 2 rate, timber Sugar, Beech

Ark, Pepper & Uls. Spice &c.

West Corrected between Dec. 17 & 20

39.50 Set g. sec. post at aver. dist. from which

a W. Oak 24 in. dia. bears N 14 W 31 Mor. dist. 2

at Beech 18 " " " S46W27 " "

79.00 to Rec. Cr.

West between Sec. 18 & 19

6.00 a Stream 20 Mts. wide course SW

18.00 a Lw 50 € € € €



## T. 17 N., R. 8 W. 2. Mer. Ind. a

Ch. Ch.

40.00 sit q. sec. port from which  
 a Hickory 10 in. dia. bears N15 W 10 Ws. dist. 8  
 a B. Oak 30 " " " N83 E 64 " "  
 80.00 Intersect N. Boundary 133 Ws. N. of port—  
 sit port at intersection cor. of sec. 18 & 19 from which  
 a Hickory 10 in. dia. bears S12 E 21 Ws. dist. 8  
 a Mulberry 4 " " " N71 W 14 " "  
 Level good farming land, part rich Barrens  
 timber Oak, Hickory, Sugar &c.

---

North between Sec. 17 &amp; 18

13.97 a W. Oak 24 in. dia.

35.50 a Stream 15 Ws. wide course S10 W

40.00 sit q. sec. port from which  
 a W. Oak 12 in. dia. bears N22 E 29 Ws. dist. 8  
 a Sycamore 3 " " " S28 E 12 " "

49.00 a Sugar 18 " "

51.50 a Stream 50 Ws. wide course W

80.00 sit port cor. of sec. 7, 8, 17 & 18 from which  
 an Elm 10 in. dia. bears N39 W 18 Ws. dist. 8  
 a Gum 3 " " " S49 E 9 " "  
 Land level rich T. rate, timber Walnut,  
 Sugar, Ash, W. Oak &c. Upl. Spice &c.

---

East in Random between Sec. 8 &amp; 17

0.00 a Stream 50 Ws. wide course S.

40.00 sit temp. q. sec. port

79.40 Intersect N. & S. line 17 Ws. S. of port—  
 Land hilly T. rate, timber W. Oak, Sugar,  
 Beech &c. Upl. Ironwood &c.

---

West Corrected between Sec. 8 &amp; 17

39.70 sit q. sec. port at aver. dist. from which  
 a Beech 18 in. dia. bears S40 W 20 Ws. dist. 8  
 a Do 24 " " " S80 E 26 " "

79.40 to sec. cor.

T. 17 N., R. 8 W. 2<sup>d</sup> Mer. Ind. <sup>a</sup>

Wm. Dr.

West between Sec. 7 &amp; 18

20.20 a Stream 8 Wks. wide course S.

40.00 cut gr. sec. part from which

an W. Oak 20 in. dia. bears S 30 W 25 Wks. dnt. 8

a Hickory 10 " " " N 32 E 32 " "

79.64 Intersect W. Boundary 205 Wks. N. of part -

cut part at intersection cor. of sec. 7 &amp; 18 from which

a Sugar 12 in. dia. bears N 16 E 12 Wks. dnt. 8

an W. Oak 18 " " " S 79 W 67 " "

Level Barrens, thinly timbered chiefly  
with <sup>W.</sup> Oak

North between Sec. 7 &amp; 8

18.21 a Beech 24 in. dia.

40.00 cut gr. sec. part from which

an Elm 10 in. dia. bears S 58 W 25 Wks. dnt. 8

an W. Oak 15 " " " N 76 E 42 " "

80.00 cut part cor. of sec. 5, 6, 7 &amp; 8 from which

a Buckeye 10 in. dia. bears S 2 E 14 Wks. dnt. 8

a Mulberry 8 " " " N 8 E 26 " "

Land hilly 2<sup>d</sup> rate, timber W. Oak, Beech,  
Sugar & Vly. Dogwood

East on Random between Sec. 5 &amp; 8

4.75 a Stream 50 Wks. wide course S.

40.00 cut temp. gr. sec. part

79.00 Intersect N. S. line 60 Wks. N. of part -

Land level 2<sup>d</sup> rate, timber Beech, Sugar,  
Poplar, W. Oak & Vly. Spice &

West Corrected between Sec. 5 &amp; 8

39.50 cut gr. sec. part at aver. dnt. from which

a Poplar 27 in. dia. bears S 34 W 16 Wks. dnt. 8

a Beech 30 " " " N 13 E 25 " "

79.00 to sec. cor.

## T. 17 N., R. 8 W. 2. Mer. Ind.

Ch. Sk.

West between Sec. 6 &amp; 7

40.00 cut of sec. port from which

a W. Oak 30 in. diam bears S 69 E 39 W. dist. 8

a Sugar 15 " " " N 59 W 44 " "

79.92 Intersect N. Boundary 246 W. N. of port -

cut port at intersection cor. of sec. 6 &amp; 7 from

which a Sugar 12 in. diam bears N 14 E 14 W. dist.

&amp; a Sh 12 " " " N 80 E 18 " "

Land level rich T. rate, timber Wal-  
nut, Sugar, Beech, W. Oak & Upr. Spice &c.

North between Sec. 5 &amp; 6

1.82 a Stream 50 W. wide course S E

13.06 an Elm 20 in. dia.

20.50 a Stream 50 W. wide course S W

40.00 a Red Oak 4 in. dia. stands for of sec. cor. from

which a W. Oak 30 in. diam bears S 74 E 35 W. dist.

&amp; a Beech 30 " " " N 74 W 33 " "

03.44 Intersect N. Boundary 182 W. N. of port -

cut port at intersection cor. of sec. 5 &amp; 6 from which

a W. Oak 40 in. diam bears S 66 W 19 W. dist.

&amp; a R. Oak 6 " " " N 76 E 20 " "

Land hilly 2. rate, timber Sugar, Beech,  
W. Oak, Poplar & Upr. Spice &c.Meanders of Wabash River. Right bank  
down stream. Beginning at port in W.  
Boundary of Sec. 30, thence:

Courses	Ch. Sk.	Remarks.
S 35 E	17.50	In Sec. 30 August 18. 1820
S 28 E	8.50	
S 21 E	8.00	
S 12 E	18.50	
S 11 W	10.00	
S 22 W	6.00	

## T. 17 N., R. 8 W. 2. Mer. Ind.

Courses Ch. Sec.	Remarks.
S 32 W 0.50	
S 52 W 4.00	
S 63 W 3.50	
S 69 W 7.50	to port in W. Boundary.
Beginning at port in W. Boundary of Sec. 31 on right bank, thence:	
S 44 E 0.50	In Sec. 31 - upper point of Island
S 42 E 14.50	
S 56 E 11.00	
S 62 E 5.25	to port in S. Boundary.
August 20, 1820.	
Left bank down stream. Beginning at port in W. Boundary of Sec. 19, thence:	
S 39 E 19.33	In Sec. 19 - to port in line betw. Sec. 19 & 30
S 37 E 11.00	In Sec. 30
S 23 E 26.50	
S 6 E 13.90	
S 7 W 13.50	
S 24 W 11.25	
S 46 W 10.00	
S 54 W 3.86	to port in line between Sec. 30 & 31
S 65 W 10.00	In Sec. 31
S 70 W 5.00	to port in W. Boundary.
Beginning at port in W. Boundary of Sec. 31 on left bank, thence:	
S 44 E 4.30	In Sec. 31
S 54 E 0.50	
S 40 E 5.75	upper point of small island.
S 48 E 3.50	
S 32 E 23.00	lower point of island.
S 60 E 7.83	Hackberry cr. of Indian Reserve



T. 17 N., R. 8 W. 2<sup>d</sup> Mer. Ind.

Consect Ch. Lts.

Remarks.

S 33 E 3.29

S 60 E 12.00 to post in S. Boundary.

August 18. 1820

William Polke

Dep. Surveyor.

I certify that the foregoing transcript  
 of Field Notes of the survey of Township N<sup>o</sup>  
 17 North, in Range N<sup>o</sup> 8 West of the 2<sup>d</sup>  
 Principal Meridian, in the State of India-  
 na, has been compared with the original  
 on file in this office, and found to be correct.  
 Surveyor General's Office,  
 Cincinnati, Aug. 16. 1844

William Johnston  
 Sur. Genl.